



**GL / Cab & Chassis** 











Spacious Legroom



The J-line design is a clever engineering design made to shorten the wheelbase



High Mount Stop Lamp



2 DIN Single In-dash CD/MP3/WMA/ Tuner/iPod-ready/Audio Jack



High Contrast Multi-information Instrument Meter Display



Fog Lamps (GL 4WD)



## **STRADA** Cab & Chassis





For the many needs and goals of start-up and medium-scale entrepreneurs, you can always count on the Strada Cab & Chassis to get the job done.

Built strong for any kind of cargo, for any kind of business.



2 DIN Single In-dash CD/MP3/ WMA/ Tuner/iPod-ready/Audio Jack



Tight Minimum Turning Radius



Powerful yet economical 4D56 2.5L 4 In-line with Turbocharged Intercooler System


The 2.5-liter Direct Injection Common
Rail diesel engine is designed to
cope with the demands of high
speed motoring. Aside from being
able to produce ample power
and torque, this breakthrough
engine assures better fuel efficiency
and reduced emissions.



## Performance and Functionality

[Optional rear bodies are for visual appreciation only.]

## **Standard Strada Safety Features:**





RISE Body

Dual SRS Airbags





Anti-Lock Braking System [ABS] - Equipped with Electronic Brakeforce Distribution [EBD] (GL)





ISO Fix and Tether Anchor (GL)

Load Sensing Proportioning Valve [LSPV] (Cab & Chassis)

**HEAVY LOAD** 

BF12021002 © Mitsubishi Motors Philippines Corporation

GENERAL SPECIFICATIONS	GL 4WD GL 2WD	Cab & Chassis
Overall Length mm	5,225	4,890
Overall Width mm	1,815	
Overall Height mm	1,775	1,655
Wheelbase mm	3,000	
Tread (Front/Rear) mm	1,520 / 1,515	
Min. Ground Clearance mm	200	
Gross Vehicle Weight kg	2,850 2,760	2,570
Seating Capacity persons	5	3
Min. Turning Radius m	5.9	5.7
ENGINE		
Model/Type	(4N15) 2.4-Liter Intercooled Turbocharged Direct Injection Diesel	(4D56) 2.5-Liter Intercooled Turbocharged Direct Injection Diesel
Fuel System		tion (Common Rail)
Max. Power Ps	167	128
Fuel Tank Capacity L	7	5
TRANSMISSION		
Limited Slip Differential	Equipped (Hybrid-Type)	Not Equipped
Clutch	Single, Dry Plate wit	1. 1.1
Drivetrain	Easy Select 4WD	Rear Wheel Drive
Туре	6-Speed Manual	5-Speed Manual
		**************************************
SUSPENSION		
Front	Independent - Wishbone with Coil Spring	
Rear	Rigid, Elliptic Leaf Springs	
BRAKES		
Front	Ventilated Disc	
Rear	Leading and Trailing Drums	
	-50	NEO-
TIRES AND WHEELS		
Tires	205/R16C	195/R15C
Wheels	16" x 6.03 Steel	15" x 6.03 Steel
Spare Tire	16" x 6.033 Steel	15" x 6.03 Steel
STEERING		
Gear Type	Pack an	d Pinion
Power Steering	Rack and Pinion Equipped	
Steering Wheel	3-Spoke Urethane	
Tilt Adjust Steering Column	Equipped	
Transaction and a second	Equi	14000
AUDIO SYSTEM		
Speakers	2	
Antenna	Pillar-Mounted	
SAFETY		
Anti-Lock Braking System (ABS)	Equipped with Electronic Brakeforce Distribution (EBD)	Not Equipped
Load Sensing Proportioning Valve (LSPV)	Not Equipped	Equipped
Seatbelts Front	3 pt. ELR with Pretensioner, Force Limiter Function and Adjustable Anchor x 2	3 pt. ELR with Pretensioner, Force Limiter Function and 2 pt. Lapbelt
Rear	3 pt. ELR x 3	Not Applicable
Child Protection Lock	Equipped	Not Applicable
ISO-Fix	Equipped	Not Applicable
Tether Anchor	Equipped	Not Equipped
	Едирреи	not Equipped
MISCELLANEOUS		22.72.00
	Equipped (Over Rail-Type)	Not Applicable



